

# BNC CONNECTORS

NOTE: Unless otherwise stated, all items are Nickel Plated Brass with Delrin Insulators.

## BNC MALE, 2-Piece

with fixed center pin.  
Nickel plated body,  
delrin insulator,  
gold plated  
center pin



(Display pack of 1; for bulk add a "B" suffix, e.g. 920B)

Wire Type	Part Number
RG59 & 62 PVC Jacket	980
RG59 & 62 Teflon Jacket	920
RG58/U	979
RG6/U	929

## BNC MALE, 3-Piece

with separate pin.  
Nickel plated body,  
delrin insulator, gold  
plated pins.



Wire Type	Package Quantity	Part Number
RG58/U PVC	One Per	974
RG58/U	Display Ten Pack	974-10
RG58A/U	One Per	996
RG58 Teflon	One Per	997
RG62 & RG59/U PVC	One Per	973
RG62 RG59/U	Display Ten Pack	973-10
RG59/U with Teflon	One Per	998
RG59/U with 20 ga. pin	One Per	994
RG6/U (.275" O.D.)	One Per	989
RG6/U (.275" O.D.)	Display Ten Pack	989-10
RG8X & mini 8	One Per	926
RG174, 179, 187, 188 & 316	One Per	927

## BNC MALE, one-piece

with separate pin.  
Nickel plated body,  
delrin insulator, gold  
plated center pin.  
Packed 1 per blister; add "B" suffix for  
bulk packaging.



Wire Type	Part Number
RG58/U	964
RG59/U	969NP
RG6/U (.275 O. D.)	988



## Right Angle, BNC MALE

Handy in tight places.  
Conductors attach via  
screw connections.  
For coax under .275"  
Such as RG58, 59, 62, 6



No. 967

## UG-88/U SCREW-CLAMP STYLE BNC MALE CONNECTOR



**No. 954NP** - For RG58/U  
nickel plate,  
Delrin insulator

**No. 961NP** - For RG59/U  
Nickel Plated, Delrin Insulator

**No. 975** - For RG6/U  
For commercial RG6/U cable such as Belden  
type 9290 (dual braid, commercial type) etc.  
For cables with O.D. .275" to .290"

## One-Piece, Crimp Type BNC Male with Insulating Boot.

Separate center pin. Quick and weather  
tight. Nickel plated Brass, gold plated  
center pin.



Wire Type	Part Number
RG59/U & RG62/U	938
RG58/U	937

## BNC MALE RIGHT ANGLE

Crimp-on Two-piece connector for  
RG59/U and RG62/U cables.



No. 980RA

## BNC Center Contact Pins.

Bulk packed only.

Wire Type	Part Number
RG58/U	RG58-PIN
RG59/U	RG59-PIN
RG6	RG6-PIN
RG58/A	RG58A-PIN
RG59 20 Ga.	RG59L-PIN

## BNC Crimping Rings

Bulk packed only.

This series of rings are all 1/2" in length.

Wire Type	Part Number
RG58	RG58-RING
RG59	RG59-RING
RG6	RG6-RING

**Cal-Centron**

# BNC ADAPTORS / CONNECTORS

Note: Unless otherwise stated, all items are Nickel Plated Brass with Delrin Insulators

**BNC "T" Adaptor  
Male to 2 Female**



No. 956NP

**BNC Female Both Ends**



No. 959NP

**BNC "T" Adaptor  
3 Females**



No. 981 - Silver Plated, Teflon Insulator  
No. 981NP - Nickel Plated, Delrin Insulator

**BNC "T" 3 Males**



No. 930

**BNC Dual Males**



No. 976

**BNC Male to Female Right  
Angle Adaptor**



No. 953NP

**BNC Male to RJ11  
& Screw Terminals**



No. 70-5002

**BNC Female to RJ11  
& Screw Terminals**



No. 70-5004

**BNC Terminator  
with Chain (.5W)**

No. 931 - 75 ohms  
No. 931L - 50 ohms  
No. 931C - 93 ohms



**FEMALE BNC CONNECTORS  
PCB Mount/Panel  
Mount BNC Female**



No. 939

**IN-LINE FEMALE BNC**

Screw Clamp Mounting.



No. 946 - for RG59/U, RG62/U cable  
No. 945 - for RG55/U, RG58/U cable

**IN-LINE BNC FEMALE  
3-Piece Crimp Type**



No. 944 - for RG59/U, RG62/U cable  
No. 943 - for RG55/U, RG58/U cable

**BNC CHASSIS MOUNT  
FEMALE**



No. 952NP - Nickel plated, Delrin Insulator  
No. 952NP-10 - 10-Pack of No. 952NP

**BNC FEMALE  
Isolated Chassis  
Mount**



No. 952RNP  
"Isolated" chassis mount connector.  
Mounting hole: 3/8"

**BNC FEMALE  
Chassis Mount**

Square flange mount,  
with mounting holes  
on 1/2" centers.



No. 948 - UG290 type, Silver plated, Teflon Insulator. Mounting holes tapped 3-56  
No. 949 - Same as above but 1/8" mounting holes

**BNC Terminator**

BNC Male, 0.5 Watts.  
Color Coded



No. 971 - 75 ohms  
No. 971L - 50 ohms  
No. 971C - 93 ohms

**Chassis Mount  
FEMALE CRIMP  
CONNECTION**



No. 936 - for RG59/U, RG62/U  
No. 935 - for RG55/U, RG58/U

**BNC FEMALE BULKHEAD  
CONNECTORS**

**BNC DUAL FEMALE  
Chassis  
Mount**



No. 970 -  
Smaller version .47 bushing, not flatted.  
Length: 1-11/32" Teflon insulator, Silver plated  
No. 970A - Similar to No. 970, but Nickel plated and Delrin insulator  
No. 970A-10 - Display 10-Pack of No. 970A

**BNC TWIST-ON  
CONNECTORS**



	RG58/U	RG62/U RG59/U	RG6/U	Belden 8281
Male, fixed pin	No. 991	No. 982	No. 983	No. 987
Male, separate pin				No. 986
Male, right angle	No.991RA	No.982RA	No.983RA	
Female, in-line	No. 977	No. 984	No. 985	
Female, chassis mount	No. 940	No. 941	No. 942	

The following are 10-Packs of the above connectors in Display Packaging:

No. 982-10 - 10-Pack of 982  
No. 983-10 - 10 Pack of 983  
No. 991-10 - 10 Pack of 991

**BNC Male Twist-on Connectors, For  
Teflon Wires**

**Fixed Pin  
Wire Type**

No. 993 - RG58/U - Teflon Cables  
No. 995 - RG59/U, RG62/U-Teflon Cables

**Cal-Centron**

NOTE: All connectors on this page are available in bulk. Add "B" to part no. when ordering.

# BNC ADAPTORS

Note: Unless otherwise stated, Adaptors are nickel plated with Delrin Insulators.

## SMA Male to BNC Male

No. 11330



## SMA Male to BNC Female

No. 11335



## SMA Female to BNC Male

No. 11340



## SMA Female to BNC Female

No. 11350



## BNC Male to DUAL BANANA PLUGS

- Standard .750" center to center Banana plugs spacing
- .161" holes in body for side stacking

No. 2380



## BNC Female to DUAL BANANA PLUGS

- Standard .750" center to center Banana plugs spacing
- .161" holes in body for side stacking

No. 2382



## BNC Male to DUAL BINDING POST

- Standard .750" center to center Banana plugs spacing
- .161" holes in body for side stacking

No. 2390



## BNC Female to DUAL BINDING POST

- Standard .750" center to center Banana plugs spacing
- .161" holes in body for side stacking

No. 2392



## N Male to BNC Female

No. 724



## Mini UHF Female to BNC Male

No. 588



## Mini UHF Male to BNC Female

No. 590



## TNC Male to BNC Female

No. 876



## BNC Female to RCA Male

No. 957



## BNC Female to "F" Male

No. 958



## BNC Female to "F" Push-on Male

No. 966



# Cal-Centron

## BNC Female to 1/8" PhonePlug

No. 963



## BNC Female to UHF Male

No. 950NP



## BNC Female to UHF Female

No. 962



## BNC Male to UHF Female

No. 951NP



## BNC Male to RCA Female

No. 955



## BNC Male to "F" Female

No. 960



## BNC Female to "F" Female

No. 978



## Motorola Female to BNC Male

No. 947

